

WATER WELL REPORT
STATE OF WASHINGTONStart Card No. [REDACTED]
Water Right Permit No. [REDACTED]

(1) OWNER: Name **HOLMES HARBOR WATER CO.** Address **PO BOX 75 GREENBANK, WA 98253-**
 (2) LOCATION OF WELL: County **ISLAND** - NW 1/4 SM 1/4 Sec 4 T 30 N., R 2E WM
 (2a) STREET ADDRESS OF WELL (or nearest address)

(3) PROPOSED USE: **MUNICIPAL**

(10) WELL LOG

(4) TYPE OF WORK: Owner's Number of well **1**
 (If more than one)
 Method: **ROTARY**

NEW WELL

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change in formation.

(5) DIMENSIONS: Diameter of well **6** inches
 Drilled **302** ft. Depth of completed well **299** ft.

(6) CONSTRUCTION DETAILS:
 Casing installed: **6** " Dia. from **+2** ft. to **299** ft.
WELDED " Dia. from ft. to ft.
 " Dia. from ft. to ft.

Perforations: **NO**

Type of perforator used

SIZE of perforations in. by in.

perforations from ft. to ft.

perforations from ft. to ft.

perforations from ft. to ft.

Screens: **YES**

Manufacturer's Name

HOWARD SMITHType **STAINLESS STEEL**Model No. **KO**Diam. **6** slot size **30** from **279** ft. to **299** ft.

Diam. slot size from ft. to ft.

Gravel packed: **NO**

Size of gravel

Gravel placed from ft. to ft.

Surface seal: **YES**To what depth? **18** ft.Material used in seal **BENTONITE**Did any strata contain unusable water? **NO**

Type of water? Depth of strata ft.

Method of sealing strata off

(7) PUMP: Manufacturer's Name

Type

H.P.

(8) WATER LEVELS: Land-surface elevation
 above mean sea level ... ft.
 Static level **225.5** ft. below top of well Date **02/28/92**
 Artesian Pressure lbs. per square inch Date
 Artesian water controlled by

Work started **02/26/92**Completed **02/28/92**

(9) WELL TESTS: Drawdown is amount water level is lowered below static level.

Was a pump test made? **NO** If yes, by whom?

Yield: gal./min with ft. drawdown after hrs.

Recovery data

Time Water Level Time Water Level Time Water Level

Date of test **/ /**Bailer test **10** gal./min. **0** ft. drawdown after **1** hrs.Air test **30** gal./min. w/ stem set at **276** ft. for **1** hrs.

Artesian flow g.p.m. Date

Temperature of water Was a chemical analysis made? **NO**

WELL CONSTRUCTOR CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

NAME **HAYES DRILLING, INC.**

(Person, firm, or corporation) (Type or print)

ADDRESS **556 ERSWIG RD. BOM WA**[SIGNED] *Steve Gilbert* license No. **762**

Contractor's

Registration No. **HAYESDI106J5**Date **03/05/92**

WELL SITE MEETS ALL SIGHTING CRITERIA UNDER I.C.C. 8.09 BASED ON INFORMATION SUPPLIED BY THE OWNER OR OWNER'S AUTHORIZED REPRESENTATIVE.

RECEIVED

MAR 25 1992

DEPT. OF ECOLOGY

30-2E-4M

WATER WELL REPORT
STATE OF WASHINGTONStart Card No. 042289
Water Right Permit No.

(1) OWNER: Name HOLMES HARBOR WATER CO. Address PO BOX 75 GREENBANK, WA 98253-

(2) LOCATION OF WELL: County ISLAND

- NW 1/4 SW 1/4 Sec 4 T 30 N., R 2E WM

(2a) STREET ADDRESS OF WELL (or nearest address)

(3) PROPOSED USE: MUNICIPAL

(10) WELL LOG

(4) TYPE OF WORK: Owner's Number of well 1
(If more than one)
NEW WELL Method: ROTARY

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change in formation.

(5) DIMENSIONS: Diameter of well 6 inches
Drilled 302 ft. Depth of completed well 299 ft.(6) CONSTRUCTION DETAILS:
Casing installed: 6 Dia. from +2 ft. to 299 ft.
WELDED Dia. from ft. to ft.
Dia. from ft. to ft.

MATERIAL	FROM	TO
BROWN GRAVEL & SAND & CLAY	0	8
GRAY GRAVEL & SAND & CLAY	8	81
GRAY GRAVEL & SAND	81	86
GRAY GRAVEL & SAND & CLAY	86	102
GRAY GRAVEL & SAND	102	105
BROWN GRAVEL & SAND	105	127
BROWN GRAVEL & SAND & CLAY	127	140
GRAY GRAVEL & SAND & CLAY	140	150
BROWN GRAVEL & SAND & CLAY	150	200
BROWN GRAVEL & SAND	200	224
BROWN GRAVEL & SAND & WATER	224	300
BROWN CLAY	300	

Perforations: NO

Type of perforator used	SIZE of perforations	in. by	in.
perforations from	ft. to	ft.	
perforations from	ft. to	ft.	
perforations from	ft. to	ft.	

Screens: YES

Manufacturer's Name	Model No.	Size of gravel
HOWARD SMITH	KO	
Type STAINLESS STEEL	from 279	ft. to 299 ft.
Diam. 6 slot size 30	from	ft. to ft.
Diam. slot size		

Gravel packed: NO
Gravel placed from ft. to ft.Surface seal: YES To what depth? 18 ft.
Material used in seal BENTONITE
Did any strata contain unusable water? NO
Type of water? Depth of strata ft.
Method of sealing strata off(7) PUMP: Manufacturer's Name
Type H.P.(8) WATER LEVELS: Land-surface elevation
above mean sea level ... ft.
Static level 225.5 ft. below top of well Date 02/28/92
Artesian Pressure lbs. per square inch Date
Artesian water controlled by

Work started 02/26/92 Completed 02/28/92

(9) WELL TESTS: Drawdown is amount water level is lowered below static level.

Was a pump test made? NO If yes, by whom?
Yield: gal./min with ft. drawdown after hrs.

WELL CONSTRUCTOR CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

Recovery data
Time Water Level Time Water Level Time Water LevelNAME HAYES DRILLING, INC.
(Person, firm, or corporation) (Type or print)

ADDRESS 556 ERSKIG RD. BOW, WA


[SIGNED] Steve Gilbert License No. 762

Contractor's
Registration No. HAYESDI106J5 Date 03/05/92Date of test / /
Bailer test 10 gal./min. 0 ft. drawdown after 1 hrs.
Air test 30 gal./min. w/ stem set at 276 ft. for 1 hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? NOWELL SITE MEETS ALL SIGHTING CRITERIA UNDER I.C.C. 8.09 BASED ON
INFORMATION SUPPLIED BY THE OWNER OR OWNER'S AUTHORIZED REPRESENTATIVE.

RECEIVED

MAR 25 1992

DEPT. OF ECOLOGY



WASHINGTON STATE
DEPARTMENT OF
ECOLOGY

Well Tagging Form

Unique Well Tag No: AGA 826

RECORD VERIFICATION (check ☒ one)

- ☐ Well Report available (please attach this form to the well report and submit it to the Ecology Regional Office near you)
- ☐ Verification inconclusive
- ☐ Well Report not available

WELL OWNERSHIP, IF DIFFERENT FROM WELL REPORT

First Name DEBBIE HULMES HARBOR Last Name WATER, CO

Street Address 33870-4

City _____ State _____

LOCATION OF WELL, IF DIFFERENT FROM WELL REPORT

Well Address: END OF HARBOR ESTATES

City _____ County _____

T _____ N R _____ W M Sec _____ 1/4 of the _____

FOR AGENCY USE ONLY

Latitude _____

Longitude _____

Elevation at land surface _____ feet/meters (circle one)

Additional information, if available

- ☐ GPS
- ☐ Topographic Map
- ☐ Survey
- ☐ Computer generated

- ☐ Digital Altimeter
- ☐ Topographic Map
- ☐ Other _____

- ☐ Location marked on topographic map (please attach)
- ☐ Location marked on air photo (please attach)

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

FOR AGENCY USE ONLY

WELL CHARACTERISTICS

Physical Description of well (size or casing type of well housing etc)

(25' x 26' x 15')

CASING INSIDE DETACHED COLORED BUILDING, INSIDE CHAIN LINK

FENCE & IN FRONT OF CONCRETE EPS

Location or Well Identification Tag

Positive

Is supplemental tag needed for ease of identifying well?

☐

Yes

☒

No

Where was tag placed?

Scale 1 24 000 (1" = 2,000')

Indicate the location of the well within the Section by drawing a dot at that point.

SECTION _____

C	B	A
F	G	H
L	K	J
P	Q	R

REMARKS

FOR ECOLOGY WATER RESOURCES PROGRAM ONLY

Right # _____

Date Issued _____

One

Application

Permit

Certificate

Claim

Exempt